



BRUSHWARE & ACCESSORIES



INDEX

PAINT BRUSHES	Ensign Professional SilkPro Utility Fibreglass Viva Silkcoate Woodcoate 3-Brush Set Roof Renovator Waterproofing Brush Viva Roof Brush Viva Waterproofing Brush Radiator Whitewash Touch Up Value Brush Set	3 3 3 3 4 4 4 5 5 5 5 6 6 6 6
SPECIALITY DÉCOR BRUSHES	Pro-Chalk Artist 12-Brush Set	6
PAINT ROLLERS	Sheepskin Roughcoat Classic Polypile Mohair Epoxy-Pile Woolpro All-Purpose Viva Mock Mohair Textured Foam Corrugated	7 7 7 8 8 8 8 9 9
SPECIALITY TRAYSETS	Premium Interior Trayset Premium Exterior Trayset Premium Multi-Surface Trayset DIY Value Trayset Viva Painter's Trayset	10 10 10 10 10
MINI ROLLER RANGE	Vestaron Supafoam	4.4
PAINT ACCESSORIES	Professional Scrapers Specialist Scrapers Utility Scrapers Wire Brushes Roller Handles Extension Poles	12 12 12 13 13
ABRASIVES	Sanding Rolls Sanding Sheets Wet/Dry Sanding Sheets	14 14 14
TAPES	High Temperature Masking Tape General Purpose Masking Tape Premium Painter's Tape Packaging Tape Duct Tape Aluminium Foil Tape Rhino Mesh Drywall Tape Reflective Tape Anti-Slip Tape PVC Insulation Tape	15 15 15 15 16 16 16 16 16
DISPLAY STANDS	Display Stands	17
CONTACTS	Sales Reps Business Details	19 19















	ENSIGN BRUSH RANGE	-
9405	ENSIGN 12MM	
9410	ENSIGN 25MM	
9415	ENSIGN 38MM	131
9420	ENSIGN 50MM	
9430	ENSIGN 75MM	Therefore t
9440	ENSIGN 100MM	ENSIGN
9115	ENSIGN ANGLED 38MM	hall har
9120	ENSIGN ANGLED 50MM	7/h
9130	ENSIGN ANGLED 63MM	
• For solv	vent and water-based paints and wood	

- treatments
- · Preferred range for chalk paint applications

FEATURES & BENEFITS


- Superior quality synthetic bristle, encased in a stainless steel
- For the discerning painter wanting the best value-for-money
- Ultra smooth finish with no streaking
 High loading, tapered-tip bristles for superior workmanship
- Angled sash brushes, perfect for accurate "cutting in" work
- · Easy cleaning and guaranteed no bristle loss

SIZES 12, 25, 38, 50, 75 & 100mm Angled: 38, 50 & 63mm

	PROFESSIONAL BRUSH RANGE	A
9305	PROFESSIONAL BRUSH 12MM	
9310	PROFESSIONAL BRUSH 25MM	A.
9315	PROFESSIONAL BRUSH 38MM	1
9320	PROFESSIONAL BRUSH 50MM	1
9330	PROFESSIONAL BRUSH 75MM	
9340	PROFESSIONAL BRUSH 100MM	Personne
finish w	TION: n blended bristle - for the highest quality ith all water and solvent-based paint & eatment applications	75
FEATURE	S & BENEFITS:	A STATE OF THE PARTY OF THE PAR

- · Premium bristle-blend for a smooth, even finish with all
- High volume bristle content for multiple paint applications
- Extra thick bristle content for maximum paint pick up and even release
- Rust-resistant, stainless steel ferrule for the discerning

SIZES: 12, 25, 38, 50, 75 & 100mm



FEATURES & BENEFITS

- · Excellent paint pick-up and silky smooth coverage
- · Rust & Solvent resistant
- · Minimal bristle loss
- · Easy cleaning

SIZES: 19, 25, 38, 50, 75 & 100mm

	UTILITY BRUSH RANGE	/ô\
1005	UTILITY BRUSH 12MM	
1010	UTILITY BRUSH 25MM	1
1015	UTILITY BRUSH 38MM	
1020	UTILITY BRUSH 50MM	
1030	UTILITY BRUSH 75MM	
1040	UTILITY BRUSH 100MM	1-0
1050	UTILITY BRUSH 125MM	MANAGEMENT AND
1060	UTILITY BRUSH 150MM	75
1095	UTILITY 3 BRUSH SET 25/50/75MM	/J
APPLIC <i>A</i>	ATION:	


All-purpose brush ideal for multiple uses, including cutting-in & trim work

FEATURES & BENEFITS:

- · Great DIY brush, matching quality with affordability
- Blended, medium-length bristle ensuring a consistent, quality finish
- Durable, for everyday use
- Stainless steel ferrule
- Market leader in its category

12, 25, 38, 50, 75, 100, 125 & 150mm 3-Piece Brush Set: 25, 50, 75mm







FEATURES & BENEFITS:

- · Natural, soft, blonde bristle-blend for a smooth, even finish
- Natural unvarnished wooden handle, making it solventfriendly
- Also used to create paint techniques
- · Great durability and all-round functionality
- · Stainless steel ferrule
- Market leader in its category

SIZES: 19, 25, 38, 50, 75, 100 & 150mm

	VIVA BRUSH RANGE	
1207	VIVA BRUSH 19MM	
1210	VIVA BRUSH 25MM	100
1215	VIVA BRUSH 38MM	
1220	VIVA BRUSH 50MM	
1230	VIVA BRUSH 75MM	
1240	VIVA BRUSH 100MM	
1260	VIVA BRUSH 150MM	heaters
1263	VIVA 3 BRUSH SET 25/38/50MM	иил 7-5
1264	VIVA 5 BRUSH SET 19/25/38/50/75MM	Contract of the last of the la
		1000
APPLICA	ATION:	0.000000

Multi-purpose brush range used with a variety of paint applications

FEATURES & BENEFITS:

- Super value-for-money
- · Synthetic bristle-blend for an even finish
- Multi-purpose applications on most substrates

SIZES: 19, 25, 38, 50, 75, 100 & 150mm 3-piece Brush Set: 25, 38 & 50mm 5-piece Brush Set: 19, 25, 38, 50 & 75mm



APPLICATION:

All-purpose blonde bristle for multiple paint applications

FEATURES & BENEFITS:

- Great DIY pack for everyday use
- Blended, medium-length blonde bristle for a quality finish
- Value-for-money and durable

SIZES: 3-Piece Brush Set: 25, 50 & 75mm





WOODCOATE 3-BRUSH SET

WOODCOATE 3 BRUSH SET 25/38/50MM

APPLICATION

1443

- Natural, blonde bristle-blend designed for applying varnishes, stains, wood coatings and decorative paints
- · Suitable for oil-based or water-based coatings

FEATURES & BENEFITS

- Natural, soft, blonde bristle-blend for a smooth, even finish
- Natural unvarnished wooden handle, making it solvent-friendly
- Also used to create paint techniques
- · Great durability and all-round functionality
- Stainless steel ferrule

SIZES: 3-Piece Brush Set: 25, 38, & 50mm











SPECIALIST ROOF RENOVATOR BRUSH 1860 SPECIALIST ROOF BLOCK BRUSH 140MM

APPLICATION:

 Ideal for applying roof paints onto tiled, corrugated fibre-cement and IBR sheeting

FEATURES & BENEFITS:

- High volume of high quality, natural bristle-blend
- High density of bristle ensuring high loading capacity and faster application rate
- Removable handle and clip, encased in a rust-resistant ferrule

SIZE: 140mm

SPECIALIST WATERPROOFING BRUSH SPECIALIST WATERPROOF BRUSH 120MM

APPLICATION:

1820

 For bitumen-based, as well as water-based and other high viscosity waterproofing coatings

FEATURES & BENEFITS:

- High volume of natural blonde bristle-blend, with high loading capacity
- Effortlessly apply coatings onto roofs and other large surface areas
- Handle clip on which to rest the brush between applications

SIZE: 120mm

Follow our channels for product news, specials, and updates



APPLICATION

Used for application of roof paints for various surfaces

FEATURES & BENEFITS

High volume of blended synthetic bristles for coating large surfaces

SIZE: 140mm



APPLICATION

 Used for applying roof paints and waterproofing treatments on a variety of surfaces

FEATURES & BENEFITS

- High volume of blended synthetic filaments ensures an even finish
- High loading capacity for faster application

SIZE: 120mm



APPLICATION:

- For use with PVA, enamel & wood treatments when painting in hard to reach areas
- Also great for basting with!


FEATURES & BENEFITS:

- Angled brushes with blonde bristle, for getting into tricky places when painting or cleaning
- Easy to reach behind downpipes and in between louvres and decking
- Long, unvarnished natural wooden handle

SIZES: 25, 50 & 75mm







ROOF REVEN





· Used in the application of lime wash, as well as white wash onto exterior buildings & perimeter walls

FEATURES & BENEFITS:

- · Extra length, coarse bristle used extensively in bagging

 • Ideal for application of cementitious
- coatings
- Also used during various paint technique applications
- · Hardwearing and durable





APPLICATION:

· General purpose applications where a quality finish is not key

FEATURES & BENEFITS:

- Economical choice suitable for once-off
- Selection of sizes all in one pack, catering for most needs



SIZES: 5-Piece Brush Set: 12, 25, 38, 50 & 65mm



PRO-CHALK ARTIST 12-BRUSH SET PRO-CHALK 12PCE ARTIST BRUSH SET 5208

APPLICATION:

· A selection of both flat and round brushes, ideal for use with acrylic and enamel paints


FEATURES & BENEFITS:

- · Assorted sizes in a single pack, for added value and convenience
- Both round and flat brushes, for multiple applications
- The finest bristle, for precision craft work
- Easy to clean and re-use
- Long, ergonomic wooden handles

SIZES: 12-Piece Brush Set: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 & 12











DRIGINAL


- High loading & coverage capacity
- · Very durable and hardwearing
- · Favoured by traditionalist painters

SIZE: 225mm

V		
	ROUGHCOAT ROLLER	
2105	ROUGHCOAT ROLLER 225MM	
2104	ROUGHCOAT REFILL 225MM	
quality	ATION Im blended bristle - for the highest If finish with all water and solvent- paint & wood treatment applications	

FEATURES & BENEFITS:

Premium bristle-blend for a smooth, even finish with all coatings



- multiple paint applications
 Extra thick bristle content for maximum paint pick up and even release
- Rust-resistant, stainless steel ferrule for the discerning craftsman

SIZE: 225mm





	CLACCIC DOLLED	
	CLASSIC ROLLER	-
7204	CLASSIC ROLLER 100MM	
7205	CLASSIC ROLLER 150MM	80
7209	CLASSIC ROLLER 225MM	The state of the s
7210	CLASSIC TRAYSET 225MM	₹
7102	CLASSIC TRAYSET &	
	38MM UTILITY BRUSH	
7212	CLASSIC 225MM &	Seems Common Com
	50MM FIBREGLASS BRUSH	
8204	CLASSIC REFILL 100MM	
8209	CLASSIC REFILL 225MM	

APPLICATION:

Ideal for use with high viscosity water-based paints & plaster primers on rough surfaces

FEATURES & BENEFITS:

- Top quality, high-density fabric for superb performance
 Long pile with high loading capacity, for excellent coverage on rough surfaces
- Preferred contractor's roller due to its high performance and reliability
- Thermo-bonded core with roller fabric heat-fused to the core, ensuring high resistance to solvents and no unwinding

SIZES: 100, 150 & 225mm

		Dec. of the contract of the co
	POLYPILE ROLLER	
7304	POLYPILE ROLLER 100MM	
7309	POLYPILE ROLLER 225MM	
7310	POLYPILE TRAYSET 225MM	
8309	POLYPILE REFILL 225MM	7
APPLICATION: • For water and solvent-based paints		
on smooth to medium surfaces		

 Ideal for interior walls and ceilings requiring a smooth, even finish

FEATURES & BENEFITS:

- Polyester weave for enhanced paint absorption and release
- High quality fabric for a professional finish
- Thermo-bonded core with roller fabric heat-fused to the core, ensuring high resistance to solvents and no unwinding

SIZES: 100 & 225mm







For water and solvent-based enamel paints on smooth surfaces, resulting in a superb and even professional finish

FEATURES & BENEFITS:

- · High quality, natural wool blend, for a professional finish
- Short pile, resulting in a smooth, even application and no paint
- No staples in the fabric, means no unsightly marks on the final paint finish
- · Virtually lint free
- Thermo-bonded core with roller fabric heat-fused to the core. ensuring high resistance to solvents and no unwinding

SIZES: 50, 100, 150 & 225mm

		Wells
	EPOXY-PILE ROLLER	
2142	EPOXY-PILE ROLLER 100MI	M
2141	EPOXY-PILE ROLLER 150MI	M
2140	EPOXY-PILE ROLLER 225MI	M
2152	EPOXY-PILE REFILL 100MM	7
2151	EPOXY-PILE REFILL 150MM	
2150	EPOXY-PILE REFILL 225MM	1
APPLICAT	TION:	

· For water & solvent-based epoxy applications, as well as for applying resins, fibreglass & special floor coatings



FEATURES & BENEFITS:

- · High density, medium pile fabric on a woven backing, for enhanced pick-up and a smooth, even application

 High quality fabric, ensures that virtually no lint is shed
- during application
- · Fabric is thermo-bonded to the inner core, for toughness and
- · Bevelled edges for a cleaner finish

SIZES: 100, 150 & 225mm



	WOOLPRO ROLLER	
7104	WOOLPRO ROLLER 100MM	
7106	WOOLPRO ROLLER 150MM	
7109	WOOLPRO ROLLER 225MM	T
7110	WOOLPRO TRAYSET 225MM	7
8104	WOOLPRO REFILL 100MM	
8106	WOOLPRO REFILL 150MM	The state of the s
8109	WOOLPRO REFILL 225MM	1
APPLICAT	ION:	WOOD AND ADDRESS OF

General paint applications on medium textured surfaces with water-based paints

FEATURES & BENEFITS:

- · High density roller for general purpose applications
- Longer pile for better paint distribution
- Thermo-bonded core with roller fabric heat-fused to the core, ensuring high resistance to solvents and no unwinding

SIZES: 100, 150 & 225mm

	ALL-PURPOSE ROLLER	
7409	ALL-PURPOSE ROLLER 225MM	
8409	ALL-PURPOSE REFILL 225MM	
9470	ALL-PURPOSE TRAYSET	
	ATION:	

 General purpose paint applications using water-based paints

FEATURES & BENEFITS

- The most value-for-money choice, for a variety of paint applications
- Thermo-bonded core with roller fabric heat-fused to the core, ensuring high resistance to solvents and no unwinding
- Market-leaders in its category

SIZE: 225mm







· For solvent and water-based enamel paints on smooth surfaces

FEATURES & BENEFITS:

· Economical choice for smooth surfaces

SIZES: 100, 150 & 225mm

Ideal for paint effects requiring a

textured look






CORRUGATED ROLLER 7609 **CORRUGATED ROLLER 180MM** 8609 CORRUGATED REFILL 180MM

· Application of roof paints on corrugated structures

FEATURES & BENEFITS:

· Unique design for the application of roof paints onto corrugated iron roofs

SIZE: 180mm







PREMIUM INTERIOR TRAYSET

7802 INTERIOR PREMIUM TRAYSET 225MM

APPLICATION:

Water-based paints onto smooth to medium surfaces

FEATURES & BENEFITS:

- Polyester weave for enhanced paint absorption and release
- Thermo-bonded core with roller fabric heat-fused to core ensuring high resistance to solvents
- · No shedding fibres or unwinding
- · Smooth finish

CONTAINS:

- · Polypile roller 225mm
- Utility brush 50mm
- Drop sheet 2m x 3m
- Masking tape 24mm
- Paint tray

7801

PREMIUM EXTERIOR TRAYSET EXTERIOR PREMIUM TRAYSET 225MM

APPLICATION:

Water-based paints onto rough and textured surfaces

FEATURES & BENEFITS:

- Long pile ensures that paint is applied easily onto textured surfaces, high paint loading capacity to cover large surface area
- Thermo-bonded core with roller fabric heat-fused to core ensuring high resistance to solvents
- No shedding fibres or unwinding

CONTAINS:

- Classic roller 225mm
- Utility brush 50mm
- Drop sheet 2m x 3m
- Masking tape 24mm
- Paint tray



ECO TRAYSET

184 ECO TRAYSET 225MM

APPLICATION:

Water-based paints onto smooth to medium surfaces

FEATURES & BENEFITS:

- Polyester weave for enhanced paint absorption and release
- Thermo-bonded core with roller fabric heat-fused to core ensuring high resistance to solvents
- No shedding fibres or unwinding
- Smooth finish

CONTAINS:

- ECO roller 225mm
- · Drop sheet 2m x 3m
- Paint tray

DIY VALUE TRAYSET

7803 DIY VALUE TRAYSET 225MM

APPLICATION:

 Used for general purpose paint application of water-based paints

FEATURES & BENEFITS:

- Value-for-money kit for water-based paint applications
- Includes all essentials needed for the Perfect Finish
- Knitted polyester for acrylic and water-based paints
- · Thermo-bonded for durability

CONTAINS:

- All-purpose roller 225mm
- All-purpose refill 225mm
- Viva brush set (25, 38 & 50mm)
- Sanding sheet
- Paint tray

VIVA PAINTER'S TRAYSET

7805 VIVA PAINTERS TRAYSET

APPLICATION:

General purpose application of water-based paints

FEATURES & BENEFITS:


- Value-for-money set, for most paint applications
- Suitable for use on a variety of surfaces

CONTAINS

- All-purpose roller 225mm
- Viva brush 50mm
- · Paint tray











Highest quality foam for an extra-smooth finish with enamel paints and wood sealants on wood and metal surfaces

FEATURES & BENEFITS:

Fine, smooth finish on cupboards, doors, skirtings and window frames Durable and easy to clean

SIZES: 50mm, 70mm, 110mm, 160mm









		The second second	Author	And in case of
	PROFESSIONAL SCRAPER	0	0	0
4050	PROFESSIONAL SCRAPER 50MM			
4075	PROFESSIONAL SCRAPER 75MM	1		-
4100	PROFESSIONAL SCRAPER 100MM	*	-	-
4090	PROFESSIONAL MULTI TOOL SCRAPER			4
4080	PROFESSIONAL PUTTY KNIFE	50		
APPLICAT	ION:		4	Same.

• For removal of old flaking paint, rust, crack-fillers and glue residue

FEATURES & BENEFITS:

- Comfortable rubber grip, with steel cap for hammer action
- Double riveted, robust stainless steel blade, for lasting performance
- · Multi-Tool for removal of nails & concrete splatter, cleaning of paint from paint rollers, poles & pipes, opening of paint tins, as well as all general scraper functions
- Putty Knife for the smooth application of putty & crack-fillers

SIZES: 50, 75 & 100mm, Putty Knife, Multi-Tool

	SPECIALIST SCRAPER
5038	SPECIALIST SCRAPER 38MM
5050	SPECIALIST SCRAPER 50MM
5075	SPECIALIST SCRAPER 75MM
5100	SPECIALIST SCRAPER 100MM



APPLICATION:

- · For removal of old flaking paint, rust, crack-fillers and glue residue
- For applying putty and fillers under application.

FEATURES & BENEFITS:

- Ergonomic wooden handle
- · Double riveted, polished steel blade

SIZES: 38, 50, 75 & 100mm



	UTILITY SCRAPPERS & SPACKLES	
1915	UTILITY SCRAPER 38MM	
1920	UTILITY SCRAPER 50MM	13 12 EF
1930	UTILITY SCRAPER 75MM	
1950	UTILITY SCRAPER 100MM	
1960	SCRAPER 3PC BAG 25/50/75MM	
1990	UTILITY SPACKLE SET 50/80/100/120MM	3B SCHAPE
		75
APPLICAT	ION:	#188 - FIRE

· For removal of old paint, fillers, rust & glue

FEATURES & BENEFITS:

- Made of polished carbon steel
- Double-riveted in a plastic handle to ensure rigidity
- Spackle set for applying putty & general crack-fillers

SIZES: 38, 50, 75 & 100mm, Spackle Set, Window Scraper

	WIRE BRUSH RANGE
B4004	FINE WIRE BRUSH - PLASTIC HANDLE
B4001	FINE WIRE BRUSH - WOODEN HANDLE
B4007	BRAZING BRUSH - PLASTIC HANDLE
B4003	BRAZING BRUSH - WOODEN HANDLE
B4005	COARSE WIRE BLOCK BRUSH –
	PLASTIC HANDLE
B4006	STAINLESS STEEL BRUSH
512	WIRE BRUSH FOUNDRY

APPLICATION:


• Robust wire brushes for surface preparation prior to painting, as well as general cleaning

FEATURES & BENEFITS:

- Available in wooden or plastic handles, depending on application requirements
- Ideal for removing old paint and rust or cleaning braais and outdoor implements
- Available in mild, coarse & fine steel, as well as stainless steel









		The second second
	STEEL ROLLER HANDLES	
8806	ROLLER HANDLE 150MM	
8809	ROLLER HANDLE 225MM	1
8811	ROLLER HANDLE 225MM - SQUAR	E
6202	MINI STEEL ROLLER HANDLE 50M	M M M M
6204	MINI STEEL ROLLER HANDLE 100	WW BBBB

- Sturdy steel handles for use with all roller refills
- New square handle for more even paint applications

SIZES: 50, 100, 150 & 225mm



DAINIT MATE

- · Designed to hang on a ladder to make painting easier
- · Holds 5 litres of paint, so makes painting faster





	EXTENSION POLES
8820	EXTENSION POLE 2.5M - STEEL
9467	EXTENSION POLE 3M - STEEL

APPLICATION:


 Steel extensions ideal for painting in hard-to-reach areas, inside as well as outside

FEATURES & BENEFITS:

- · Fits all Hamilton's, as well as other paint rollers
- Sturdy construction
- Range available from 2.5m to 3m reach, reduces need for costly scaffolding
- · Easy 'twist-open' action

SIZES: 2.5m Aluminum, 3m Steel





	SANDING ROLL	
2183	FLOOR SAND ROLL 300MM X 1M - P100	
2182	FLOOR SAND ROLL 300MM X 1M - P80	
2181	FLOOR SAND ROLL 300MM X 1M - P60	
A21787	FLOOR SAND ROLL 300MM X 5M - P100	
A21794	FLOOR SAND ROLL 300MM X 5M - P80	
A21844	FLOOR SAND ROLL 300MM X 5M - P40	(3)
APPLICAT	ION:	And the second

- Widely used in the floor-sanding and the decorative and industrial painting industries
- Also used for wood sanding, smoothing of crack-fillers on walls prior to painting, removing of rust, cleaning and surface preparation of steel structures e.g. gates, gutters & drainpipes

FEATURES & BENEFITS:

- Open-coat grain design, minimizes clogging and provides an aggressive cut, to easily sand through multiple layers of tough & stubborn coatings
- Resin-bonded abrasive mineral, making it longer-lasting
- Heavy duty backing, for greater durability
 Anti-static backing, which reduces dust-collection
- · Cost-effective solution, offering great performance and good value
- Available in Extra Coarse P40, Coarse P60, Medium P80 and Fine

SIZES: 300mm x 1m / 300mm x 5m



APPLICATION:

- · Designed for hand-sanding applications on a variety of substrates
- · Applications include wood-sanding to remove paint or varnishes, metal-sanding (wet or dry), sanding during paint technique applications e.g. Chalk paints or for paint removal from various

FEATURES & BENEFITS:

- Resin-coated abrasive grit, for aggressive cutting action and faster
- Longer lasting mineral ensures a consistent cut
- Water-resistant backing allows for wet or dry use
- Designed for either hand-sanding or for wrapping around a sanding

	CABINET SANDING SHEETS	SANOT
A32899	SAND-IT CABINET PAPER P150	Table part
A32905	SAND-IT CABINET PAPER P120	
A32912	SAND-IT CABINET PAPER P100	
A32929	SAND-IT CABINET PAPER P80	
A32936	SAND-IT CABINET PAPER P60	EDIT
		ACCEPTANCE MANAGEMENT


APPLICATION:

- · Used for removal of varnishes and other top coats from wood
- Traditional choice for cabinet-makers and wood-workers

FEATURES & BENEFITS:

- Light-weight paper backing
- Mineral grit designed to fracture during use, continuously creating new cutting edges
- · Ideal for hand-sanding or for wrapping around a sanding block









- Professional indoor application, where temperatures do not exceed 80°C for 30 minutes
- Used when painting to provide perfect, sharp edges and clean lines
- Surfaces must be dry and dust-free, prior to application

FEATURES & BENEFITS:

- · Used for both general purpose or high temperature masking
- Easily removable without leaving residue behind
- Excellent adhesive properties, with high tolerance to paint bleed-through (indoors or outdoors)

NOTE:

- Masking Tape contains a pressure-sensitive adhesive and should be rubbed down to ensure proper adhesion onto the substrate below
- If left on certain surfaces for extended periods, the tape's adhesive can transfer onto the surface and will become difficult to remove
- · Store tape in a cool, dry and dark place



PREMIUM PAINTER'S TAPE A22563 **BLUE MASKING TAPE 24MMX40M**

APPLICATION:

- Blue speciality masking tape, for precision masking of external working areas.
- Used in the construction and building industries

FEATURES & BENEFITS:

- · UV resistant to outside weather conditions
- Can be left on for up to 7 days
- Easy to remove, leaving no sticky residue behind

GENERAL PURPOSE MASKING TAPE A22006 MASKING TAPE 18MMX40M GP A22007 MASKING TAPE 24MMX40M GP A22008 MASKING TAPE 36MMX40M GP A22009 MASKING TAPE 48MMX40M GP

APPLICATION:

- General purpose applications, such as masking off smooth interior walls before painting
- Temperatures not to exceed 60°C for 30 minutes
- Ensure that surfaces are dry and free from dust, prior to application

FEATURES & BENEFITS:

- Good adhesion to smooth interior surfaces
- · Prevent paint from getting into unwanted areas during painting
- On completion, easy to remove, with no damage to surface

NOTE:

- Masking Tape contains a pressure-sensitive adhesive and should be rubbed down to ensure proper adhesion onto the substrate below
- If left on surface for extended period, the tape's adhesive can transfer onto the surface and will become difficult to remove



- · Light to medium duty sealing of cartons, boxes and plastic bags
- Also used for stationery applications
- Ensure all surfaces are dry & dust-free before applying packaging tap

FEATURES & BENEFITS


- Seals cartons securely, to prevent contents from being lost or tampered with
- Good adhesive properties

A22101 A22100

- Packaging tape has a pressure-sensitive adhesive and should be rubbed down to ensure proper adhesion
- If left on surface for extended period, the tape's adhesive can transfer onto the surface and will become difficult to remove







DUCT TAPE

A22112 DUCT TAPE 48MM X 5M (BLACK) DUCT TAPE 48MM X 5M (WHITE) A22127 DUCT TAPE 48MM X 5M (SILVER) A22133 DUCT TAPE 48MM X 5M (RED)



APPLICATION

- Waterproof tape used for fixing, protecting, packaging and sealing
 Ensure all surfaces are dry & dust-free before applying duct tape

FEATURES & BENEFITS

- Good durability for temporary repairs
- Good adhesive strength and water-resistant

NOTE

· Not for long-term outdoor use

ALUMINIUM FOIL TAPE

A221230 ALU. FOIL TAPE 48MM X 50M

APPLICATION

- · Sealing HVAC ducting, patching and sealing
- · Masking in the electroplating, powder coating and hard chroming process

FEATURES & BENEFITS

- Rubber adhesive
- Temperature resistant up to 90°C
- · Reflects heat and light

ANTI-SLIP TAPE

A22135 ANTI-SLIP TAPE 50MM X 10M (BLACK) A22136 ANTI-SLIP TAPE 50MM X 10M (BLACK & YELLOW)

APPLICATION

• To reduce slipping on various surfaces, including: kitchens, factories, boats, ladders, ramps & wheelchair access and high traffic areas.

FEATURES & BENEFITS

- · Indoor/outdoor
- Durable
- Self-adhesive (tiles, marble, stone, glass, metal, wood, paper & plastic surfaces)

PVC INSULATION TAPE

A22137 PVC INS. TAPE 18MM X 20M (BLACK) A22138 PVC INS. TAPE 18MM X 20M (WHITE) PVC INS. TAPE 18MM X 20M (RED) A22139 A22140 PVC INS. TAPE 18MM X 20M (BLUE)

APPLICATION

· For insulating electrical cables

FEATURES & BENEFITS

- · Flame retardant
- · 125 micron thickness
- · Multiple colours available



RHINO MESH DRYWALL TAPE

A22131 DRYWALL TAPE 50MM X 45M

APPLICATION

· Drywall and gypsum panel joining and repair

FEATURES & BENEFITS

- Self-adhesive
- Temperature and humidity resistant
- Conforms to angles and curves for easy application

REFLECTIVE TAPE

A22134 REFL. TAPE 50MM X 5M (YELLOW)

APPLICATION

· Used to increase visibility of vehicles, rolling stock and trucks.


FEATURES & BENEFITS


- Bright and vivid reflection up to 300m
- Complies with European ECE 104 standard
















































E.&O.E: We reserve the right to change prices at any time without prior notice. Products may vary from pictures.

Sales Representatives

Dave Dickens

+263 782 98 98 98 sales@casstech.co.zw

Charity Nyajeka

+263 772 190 190 sales2@casstech.co.zw

Pam Johnstone

+263 773 26 55 22 sales4@casstech.co.zw

Tawanda Tafirenyika

+263 772 870 557 sales6@casstech.co.zw

Tele-Sales 1

+263 782 783 471 sales5@casstech.co.zw

Tele-Sales 2

+263 776 855 937 info@casstech.co.zw

Business Details

ADDRESS

346 Samora Machel Ave, (Corner Greendale Ave.) Eastlea, Harare, Zimbabwe

WEBSITE

www.casstech.co.zw

PHONE NUMBERS

Landline: +263 242 480 507 or 9 Cell: +263 782 783 471 VoIP: +263 8677 175 609

WHATSAPP ENQUIRIES & SALES

+263 782 783 471



COMPANY INFORMATION

Cassette Technologies (Pvt) Ltd. T/A Casstech

VAT - 220009529 TIN - 2000004950 ZWG & NOSTRO

Find Us









DOWNLOAD OUR CATALOGUE FOR WHEN YOU ARE ON THE GO